

**Environmental Protection Agency**

**Pt. 1048, App. II**

(7) In subpart G of this part we identify several reporting and record-keeping items for making demonstrations and getting approval related to various special compliance provisions.

(b) [Reserved]

(c) We specify the following requirements related to testing in 40 CFR part 1065:

(1) In 40 CFR 1065.2 we give an overview of principles for reporting information.

(2) In 40 CFR 1065.10 and 1065.12 we specify information needs for establishing various changes to published test procedures.

(3) In 40 CFR 1065.25 we establish basic guidelines for storing test information.

(4) In 40 CFR 1065.695 we identify data that may be appropriate for collecting during testing of in-use engines using portable analyzers.

(d) We specify the following requirements related to the general compliance provisions in 40 CFR part 1068:

(1) In 40 CFR 1068.5 we establish a process for evaluating good engineering judgment related to testing and certification.

(2) In 40 CFR 1068.25 we describe general provisions related to sending and keeping information.

(3) In 40 CFR 1068.27 we require manufacturers to make engines available for our testing or inspection if we make such a request.

(4) In 40 CFR 1068.105 we require equipment manufacturers to keep certain records related to duplicate labels from engine manufacturers.

(5) In 40 CFR 1068.120 we specify recordkeeping related to rebuilding engines.

(6) In 40 CFR part 1068, subpart C, we identify several reporting and record-keeping items for making demonstrations and getting approval related to various exemptions.

(7) In 40 CFR part 1068, subpart D, we identify several reporting and record-keeping items for making demonstrations and getting approval related to importing engines.

(8) In 40 CFR 1068.450 and 1068.455 we specify certain records related to testing production-line engines in a selective enforcement audit.

(9) In 40 CFR 1068.501 we specify certain records related to investigating and reporting emission-related defects.

(10) In 40 CFR 1068.525 and 1068.530 we specify certain records related to recalling nonconforming engines.

[73 FR 59245, Oct. 8, 2008]

**APPENDIX I TO PART 1048 [RESERVED]**

**APPENDIX II TO PART 1048—LARGE SPARK-IGNITION (SI) COMPOSITE TRANSIENT CYCLE**

The following table shows the transient duty-cycle for engines that are not constant-speed engines, as described in §1048.510:

Time(s)	Normalized speed (percent)	Normalized torque (percent)
0 .....	0	0
1 .....	0	0
2 .....	0	0
3 .....	0	0
4 .....	0	0
5 .....	0	0
6 .....	0	0
7 .....	0	0
8 .....	0	0
9 .....	1	8
10 .....	6	54
11 .....	8	61
12 .....	34	59
13 .....	22	46
14 .....	5	51
15 .....	18	51
16 .....	31	50
17 .....	30	56
18 .....	31	49
19 .....	25	66
20 .....	58	55
21 .....	43	31
22 .....	16	45
23 .....	24	38
24 .....	24	27
25 .....	30	33
26 .....	45	65
27 .....	50	49
28 .....	23	42
29 .....	13	42
30 .....	9	45
31 .....	23	30
32 .....	37	45
33 .....	44	50
34 .....	49	52
35 .....	55	49
36 .....	61	46
37 .....	66	38
38 .....	42	33
39 .....	17	41
40 .....	17	37
41 .....	7	50
42 .....	20	32
43 .....	5	55
44 .....	30	42
45 .....	44	53
46 .....	45	56
47 .....	41	52
48 .....	24	41
49 .....	15	40
50 .....	11	44

Pt. 1048, App. II

40 CFR Ch. I (7-1-10 Edition)

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
51	32	31	123	100	77
52	38	54	124	100	27
53	38	47	125	100	79
54	9	55	126	100	79
55	10	50	127	100	81
56	33	55	128	100	57
57	48	56	129	99	52
58	49	47	130	81	35
59	33	44	131	69	29
60	52	43	132	47	22
61	55	43	133	34	28
62	59	38	134	27	37
63	44	28	135	83	60
64	24	37	136	100	74
65	12	44	137	100	7
66	9	47	138	100	2
67	12	52	139	70	18
68	34	21	140	23	39
69	29	44	141	5	54
70	44	54	142	11	40
71	54	62	143	11	34
72	62	57	144	11	41
73	72	56	145	19	25
74	88	71	146	16	32
75	100	69	147	20	31
76	100	34	148	21	38
77	100	42	149	21	42
78	100	54	150	9	51
79	100	58	151	4	49
80	100	38	152	2	51
81	83	17	153	1	58
82	61	15	154	21	57
83	43	22	155	29	47
84	24	35	156	33	45
85	16	39	157	16	49
86	15	45	158	38	45
87	32	34	159	37	43
88	14	42	160	35	42
89	8	48	161	39	43
90	5	51	162	51	49
91	10	41	163	59	55
92	12	37	164	65	54
93	4	47	165	76	62
94	3	49	166	84	59
95	3	50	167	83	29
96	4	49	168	67	35
97	4	48	169	84	54
98	8	43	170	90	58
99	2	51	171	93	43
100	5	46	172	90	29
101	8	41	173	66	19
102	4	47	174	52	16
103	3	49	175	49	17
104	6	45	176	56	38
105	3	48	177	73	71
106	10	42	178	86	80
107	18	27	179	96	75
108	3	50	180	89	27
109	11	41	181	66	17
110	34	29	182	50	18
111	51	57	183	36	25
112	67	63	184	36	24
113	61	32	185	38	40
114	44	31	186	40	50
115	48	54	187	27	48
116	69	65	188	19	48
117	85	65	189	23	50
118	81	29	190	19	45
119	74	21	191	6	51
120	62	23	192	24	48
121	76	58	193	49	67
122	96	75	194	47	49

Environmental Protection Agency

Pt. 1048, App. II

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
195	22	44	267	13	53
196	25	40	268	23	45
197	38	54	269	29	50
198	43	55	270	28	42
199	40	52	271	21	55
200	14	49	272	34	57
201	11	45	273	44	47
202	7	48	274	19	46
203	26	41	275	13	44
204	41	59	276	25	36
205	53	60	277	43	51
206	44	54	278	55	73
207	22	40	279	68	72
208	24	41	280	76	63
209	32	53	281	80	45
210	44	74	282	83	40
211	57	25	283	78	26
212	22	49	284	60	20
213	29	45	285	47	19
214	19	37	286	52	25
215	14	43	287	36	30
216	36	40	288	40	26
217	43	63	289	45	34
218	42	49	290	47	35
219	15	50	291	42	28
220	19	44	292	46	38
221	47	59	293	48	44
222	67	80	294	68	61
223	76	74	295	70	47
224	87	66	296	48	28
225	98	61	297	42	22
226	100	38	298	31	29
227	97	27	299	22	35
228	100	53	300	28	28
229	100	72	301	46	46
230	100	49	302	62	69
231	100	4	303	76	81
232	100	13	304	88	85
233	87	15	305	98	81
234	53	26	306	100	74
235	33	27	307	100	13
236	39	19	308	100	11
237	51	33	309	100	17
238	67	54	310	99	3
239	83	60	311	80	7
240	95	52	312	62	11
241	100	50	313	63	11
242	100	36	314	64	16
243	100	25	315	69	43
244	85	16	316	81	67
245	62	16	317	93	74
246	40	26	318	100	72
247	56	39	319	94	27
248	81	75	320	73	15
249	98	86	321	40	33
250	100	76	322	40	52
251	100	51	323	50	50
252	100	78	324	11	53
253	100	83	325	12	45
254	100	100	326	5	50
255	100	66	327	1	55
256	100	85	328	7	55
257	100	72	329	62	60
258	100	45	330	80	28
259	98	58	331	23	37
260	60	30	332	39	58
261	43	32	333	47	24
262	71	36	334	59	51
263	44	32	335	58	68
264	24	38	336	36	52
265	42	17	337	18	42
266	22	51	338	36	52

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
339	59	73	411	24	7
340	72	85	412	51	16
341	85	92	413	62	15
342	99	90	414	72	35
343	100	72	415	91	74
344	100	18	416	100	73
345	100	76	417	100	8
346	100	64	418	98	11
347	100	87	419	100	59
348	100	97	420	100	98
349	100	84	421	100	99
350	100	100	422	100	75
351	100	91	423	100	95
352	100	83	424	100	100
353	100	93	425	100	97
354	100	100	426	100	90
355	94	43	427	100	86
356	72	10	428	100	82
357	77	3	429	97	43
358	48	2	430	70	16
359	29	5	431	50	20
360	59	19	432	42	33
361	63	5	433	89	64
362	35	2	434	89	77
363	24	3	435	99	95
364	28	2	436	100	41
365	36	16	437	77	12
366	54	23	438	29	37
367	60	10	439	16	41
368	33	1	440	16	38
369	23	0	441	15	36
370	16	0	442	18	44
371	11	0	443	4	55
372	20	0	444	24	26
373	25	2	445	26	35
374	40	3	446	15	45
375	33	4	447	21	39
376	34	5	448	29	52
377	46	7	449	26	46
378	57	10	450	27	50
379	66	11	451	13	43
380	75	14	452	25	36
381	79	11	453	37	57
382	80	16	454	29	46
383	92	21	455	17	39
384	99	16	456	13	41
385	83	2	457	19	38
386	71	2	458	28	35
387	69	4	459	8	51
388	67	4	460	14	36
389	74	16	461	17	47
390	86	25	462	34	39
391	97	28	463	34	57
392	100	15	464	11	70
393	83	2	465	13	51
394	62	4	466	13	68
395	40	6	467	38	44
396	49	10	468	53	67
397	36	5	469	29	69
398	27	4	470	19	65
399	29	3	471	52	45
400	22	2	472	61	79
401	13	3	473	29	70
402	37	36	474	15	53
403	90	26	475	15	60
404	41	2	476	52	40
405	25	2	477	50	61
406	29	2	478	13	74
407	38	7	479	46	51
408	50	13	480	60	73
409	55	10	481	33	84
410	29	3	482	31	63

Environmental Protection Agency

Pt. 1048, App. II

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
483	41	42	555	28	59
484	26	69	556	25	58
485	23	65	557	23	56
486	48	49	558	22	57
487	28	57	559	19	63
488	16	67	560	14	63
489	39	48	561	31	61
490	47	73	562	35	62
491	35	87	563	21	80
492	26	73	564	28	65
493	30	61	565	7	74
494	34	49	566	23	54
495	35	66	567	38	54
496	56	47	568	14	78
497	49	64	569	38	58
498	59	64	570	52	75
499	42	69	571	59	81
500	6	77	572	66	69
501	5	59	573	54	44
502	17	59	574	48	34
503	45	53	575	44	33
504	21	62	576	40	40
505	31	60	577	28	58
506	53	68	578	27	63
507	48	79	579	35	45
508	45	61	580	20	66
509	51	47	581	15	60
510	41	48	582	10	52
511	26	58	583	22	56
512	21	62	584	30	62
513	50	52	585	21	67
514	39	65	586	29	53
515	23	65	587	41	56
516	42	62	588	15	67
517	57	80	589	24	56
518	66	81	590	42	69
519	64	62	591	39	83
520	45	42	592	40	73
521	33	42	593	35	67
522	27	57	594	32	61
523	31	59	595	30	65
524	41	53	596	30	72
525	45	72	597	48	51
526	48	73	598	66	58
527	46	90	599	62	71
528	56	76	600	36	63
529	64	76	601	17	59
530	69	64	602	16	50
531	72	59	603	16	62
532	73	58	604	34	48
533	71	56	605	51	66
534	66	48	606	35	74
535	61	50	607	15	56
536	55	56	608	19	54
537	52	52	609	43	65
538	54	49	610	52	80
539	61	50	611	52	83
540	64	54	612	49	57
541	67	54	613	48	46
542	68	52	614	37	36
543	60	53	615	25	44
544	52	50	616	14	53
545	45	49	617	13	64
546	38	45	618	23	56
547	32	45	619	21	63
548	26	53	620	18	67
549	23	56	621	20	54
550	30	49	622	16	67
551	33	55	623	26	56
552	35	59	624	41	65
553	33	65	625	28	62
554	30	67	626	19	60

Pt. 1048, App. II

40 CFR Ch. I (7-1-10 Edition)

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
627	33	56	699	25	55
628	37	70	700	14	70
629	24	79	701	12	60
630	28	57	702	22	57
631	40	57	703	27	67
632	40	58	704	29	68
633	28	44	705	34	62
634	25	41	706	35	61
635	29	53	707	28	78
636	31	55	708	11	71
637	26	64	709	4	58
638	20	50	710	5	58
639	16	53	711	10	56
640	11	54	712	20	63
641	13	53	713	13	76
642	23	50	714	11	65
643	32	59	715	9	60
644	36	63	716	7	55
645	33	59	717	8	53
646	24	52	718	10	60
647	20	52	719	28	53
648	22	55	720	12	73
649	30	53	721	4	64
650	37	59	722	4	61
651	41	58	723	4	61
652	36	54	724	10	56
653	29	49	725	8	61
654	24	53	726	20	56
655	14	57	727	32	62
656	10	54	728	33	66
657	9	55	729	34	73
658	10	57	730	31	61
659	13	55	731	33	55
660	15	64	732	33	60
661	31	57	733	31	59
662	19	69	734	29	58
663	14	59	735	31	53
664	33	57	736	33	51
665	41	65	737	33	48
666	39	64	738	27	44
667	39	59	739	21	52
668	39	51	740	13	57
669	28	41	741	12	56
670	19	49	742	10	64
671	27	54	743	22	47
672	37	63	744	15	74
673	32	74	745	8	66
674	16	70	746	34	47
675	12	67	747	18	71
676	13	60	748	9	57
677	17	56	749	11	55
678	15	62	750	12	57
679	25	47	751	10	61
680	27	64	752	16	53
681	14	71	753	12	75
682	5	65	754	6	70
683	6	57	755	12	55
684	6	57	756	24	50
685	15	52	757	28	60
686	22	61	758	28	64
687	14	77	759	23	60
688	12	67	760	20	56
689	12	62	761	26	50
690	14	59	762	28	55
691	15	58	763	18	56
692	18	55	764	15	52
693	22	53	765	11	59
694	19	69	766	16	59
695	14	67	767	34	54
696	9	63	768	16	82
697	8	56	769	15	64
698	17	49	770	36	53

Environmental Protection Agency

Pt. 1048, App. II

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
771	45	64	843	30	65
772	41	59	844	27	66
773	34	50	845	32	58
774	27	45	846	40	56
775	22	52	847	41	57
776	18	55	848	18	73
777	26	54	849	15	55
778	39	62	850	18	50
779	37	71	851	17	52
780	32	58	852	20	49
781	24	48	853	16	62
782	14	59	854	4	67
783	7	59	855	2	64
784	7	55	856	7	54
785	18	49	857	10	50
786	40	62	858	9	57
787	44	73	859	5	62
788	41	68	860	12	51
789	35	48	861	14	65
790	29	54	862	9	64
791	22	69	863	31	50
792	46	53	864	30	78
793	59	71	865	21	65
794	69	68	866	14	51
795	75	47	867	10	55
796	62	32	868	6	59
797	48	35	869	7	59
798	27	59	870	19	54
799	13	58	871	23	61
800	14	54	872	24	62
801	21	53	873	34	61
802	23	56	874	51	67
803	23	57	875	60	66
804	23	65	876	58	55
805	13	65	877	60	52
806	9	64	878	64	55
807	27	56	879	68	51
808	26	78	880	63	54
809	40	61	881	64	50
810	35	76	882	68	58
811	28	66	883	73	47
812	23	57	884	63	40
813	16	50	885	50	38
814	11	53	886	29	61
815	9	57	887	14	61
816	9	62	888	14	53
817	27	57	889	42	6
818	42	69	890	58	6
819	47	75	891	58	6
820	53	67	892	77	39
821	61	62	893	93	56
822	63	53	894	93	44
823	60	54	895	93	37
824	56	44	896	93	31
825	49	39	897	93	25
826	39	35	898	93	26
827	30	34	899	93	27
828	33	46	900	93	25
829	44	56	901	93	21
830	50	56	902	93	22
831	44	52	903	93	24
832	38	46	904	93	23
833	33	44	905	93	27
834	29	45	906	93	34
835	24	46	907	93	32
836	18	52	908	93	26
837	9	55	909	93	31
838	10	54	910	93	34
839	20	53	911	93	31
840	27	58	912	93	33
841	29	59	913	93	36
842	30	62	914	93	37

Pt. 1048, App. II

40 CFR Ch. I (7-1-10 Edition)

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
915	93	34	987	93	16
916	93	30	988	94	15
917	93	32	989	93	32
918	93	35	990	93	45
919	93	35	991	93	43
920	93	32	992	93	37
921	93	28	993	93	29
922	93	23	994	93	23
923	94	18	995	93	20
924	95	18	996	93	18
925	96	17	997	93	16
926	95	13	998	93	17
927	96	10	999	93	16
928	95	9	1000	93	15
929	95	7	1001	93	15
930	95	7	1002	93	15
931	96	7	1003	93	14
932	96	6	1004	93	15
933	96	6	1005	93	15
934	95	6	1006	93	14
935	90	6	1007	93	13
936	69	43	1008	93	14
937	76	62	1009	93	14
938	93	47	1010	93	15
939	93	39	1011	93	16
940	93	35	1012	93	17
941	93	34	1013	93	20
942	93	36	1014	93	22
943	93	39	1015	93	20
944	93	34	1016	93	19
945	93	26	1017	93	20
946	93	23	1018	93	19
947	93	24	1019	93	19
948	93	24	1020	93	20
949	93	22	1021	93	32
950	93	19	1022	93	37
951	93	17	1023	93	28
952	93	19	1024	93	26
953	93	22	1025	93	24
954	93	24	1026	93	22
955	93	23	1027	93	22
956	93	20	1028	93	21
957	93	20	1029	93	20
958	94	19	1030	93	20
959	95	19	1031	93	20
960	95	17	1032	93	20
961	96	13	1033	93	19
962	95	10	1034	93	18
963	96	9	1035	93	20
964	95	7	1036	93	20
965	95	7	1037	93	20
966	95	7	1038	93	20
967	95	6	1039	93	19
968	96	6	1040	93	18
969	96	6	1041	93	18
970	89	6	1042	93	17
971	68	6	1043	93	16
972	57	6	1044	93	16
973	66	32	1045	93	15
974	84	52	1046	93	16
975	93	46	1047	93	18
976	93	42	1048	93	37
977	93	36	1049	93	48
978	93	28	1050	93	38
979	93	23	1051	93	31
980	93	19	1052	93	26
981	93	16	1053	93	21
982	93	15	1054	93	18
983	93	16	1055	93	16
984	93	15	1056	93	17
985	93	14	1057	93	18
986	93	15	1058	93	19

Environmental Protection Agency

Pt. 1048, App. II

Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)	Time(s)	Normalized speed (per-cent)	Normalized torque (per-cent)
1059	93	21	1131	93	31
1060	93	20	1132	93	26
1061	93	18	1133	93	21
1062	93	17	1134	93	18
1063	93	17	1135	93	20
1064	93	18	1136	93	25
1065	93	18	1137	93	24
1066	93	18	1138	93	21
1067	93	19	1139	93	21
1068	93	18	1140	93	22
1069	93	18	1141	93	22
1070	93	20	1142	93	28
1071	93	23	1143	93	29
1072	93	25	1144	93	23
1073	93	25	1145	93	21
1074	93	24	1146	93	18
1075	93	24	1147	93	16
1076	93	22	1148	93	16
1077	93	22	1149	93	16
1078	93	22	1150	93	17
1079	93	19	1151	93	17
1080	93	16	1152	93	17
1081	95	17	1153	93	17
1082	95	37	1154	93	23
1083	93	43	1155	93	26
1084	93	32	1156	93	22
1085	93	27	1157	93	18
1086	93	26	1158	93	16
1087	93	24	1159	93	16
1088	93	22	1160	93	17
1089	93	22	1161	93	19
1090	93	22	1162	93	18
1091	93	23	1163	93	16
1092	93	22	1164	93	19
1093	93	22	1165	93	22
1094	93	23	1166	93	25
1095	93	23	1167	93	29
1096	93	23	1168	93	27
1097	93	22	1169	93	22
1098	93	23	1170	93	18
1099	93	23	1171	93	16
1100	93	23	1172	93	19
1101	93	25	1173	93	19
1102	93	27	1174	93	17
1103	93	26	1175	93	17
1104	93	25	1176	93	17
1105	93	27	1177	93	16
1106	93	27	1178	93	16
1107	93	27	1179	93	15
1108	93	24	1180	93	16
1109	93	20	1181	93	15
1110	93	18	1182	93	17
1111	93	17	1183	93	21
1112	93	17	1184	93	30
1113	93	18	1185	93	53
1114	93	18	1186	93	54
1115	93	18	1187	93	38
1116	93	19	1188	93	30
1117	93	22	1189	93	24
1118	93	22	1190	93	20
1119	93	19	1191	95	20
1120	93	17	1192	96	18
1121	93	17	1193	96	15
1122	93	18	1194	96	11
1123	93	18	1195	95	9
1124	93	19	1196	95	8
1125	93	19	1197	96	7
1126	93	20	1198	94	33
1127	93	19	1199	93	46
1128	93	20	1200	93	37
1129	93	25	1201	16	8
1130	93	30	1202	0	0

Time(s)	Normalized speed (percent)	Normalized torque (percent)
1203 .....	0	0
1204 .....	0	0
1205 .....	0	0
1206 .....	0	0
1207 .....	0	0
1208 .....	0	0
1209 .....	0	0

**PART 1051—CONTROL OF EMISSIONS FROM RECREATIONAL ENGINES AND VEHICLES**

**Subpart A—Determining How To Follow This Part**

- Sec.
- 1051.1 Does this part apply for my vehicles or engines?
- 1051.2 Who is responsible for compliance?
- 1051.5 Which engines are excluded from this part’s requirements?
- 1051.10 How is this part organized?
- 1051.15 Do any other regulation parts apply to me?
- 1051.20 May I certify a recreational engine instead of the vehicle?
- 1051.25 What requirements apply when installing certified engines in recreational vehicles?
- 1051.30 Submission of information.

**Subpart B—Emission Standards and Related Requirements**

- 1051.101 What emission standards and other requirements must my vehicles meet?
- 1051.103 What are the exhaust emission standards for snowmobiles?
- 1051.105 What are the exhaust emission standards for off-highway motorcycles?
- 1051.107 What are the exhaust emission standards for all-terrain vehicles (ATVs) and offroad utility vehicles?
- 1051.110 What evaporative emission standards must my vehicles meet?
- 1051.115 What other requirements apply?
- 1051.120 What emission-related warranty requirements apply to me?
- 1051.125 What maintenance instructions must I give to buyers?
- 1051.130 What installation instructions must I give to vehicle manufacturers?
- 1051.135 How must I label and identify the vehicles I produce?
- 1051.137 What are the consumer labeling requirements?
- 1051.140 What is my vehicle’s maximum engine power and displacement?
- 1051.145 What provisions apply only for a limited time?

**Subpart C—Certifying Engine Families**

- 1051.201 What are the general requirements for obtaining a certificate of conformity?
- 1051.205 What must I include in my application?
- 1051.210 May I get preliminary approval before I complete my application?
- 1051.220 How do I amend the maintenance instructions in my application?
- 1051.225 How do I amend my application for certification to include new or modified vehicle configurations or to change an FEL?
- 1051.230 How do I select engine families?
- 1051.235 What emission testing must I perform for my application for a certificate of conformity?
- 1051.240 How do I demonstrate that my engine family complies with exhaust emission standards?
- 1051.243 How do I determine deterioration factors from exhaust durability testing?
- 1051.245 How do I demonstrate that my engine family complies with evaporative emission standards?
- 1051.250 What records must I keep and make available to EPA?
- 1051.255 What decisions may EPA make regarding my certificate of conformity?

**Subpart D—Testing Production-Line Vehicles and Engines**

- 1051.301 When must I test my production-line vehicles or engines?
- 1051.305 How must I prepare and test my production-line vehicles or engines?
- 1051.310 How must I select vehicles or engines for production-line testing?
- 1051.315 How do I know when my engine family fails the production-line testing requirements?
- 1051.320 What happens if one of my production-line vehicles or engines fails to meet emission standards?
- 1051.325 What happens if an engine family fails the production-line testing requirements?
- 1051.330 May I sell vehicles from an engine family with a suspended certificate of conformity?
- 1051.335 How do I ask EPA to reinstate my suspended certificate?
- 1051.340 When may EPA revoke my certificate under this subpart and how may I sell these vehicles again?
- 1051.345 What production-line testing records must I send to EPA?
- 1051.350 What records must I keep?

**Subpart E—Testing In-Use Engines [Reserved]**